



34 714 000 GROHTHERM SMARTCONTROL COMBI THERMOSTATIC SHOWER MIXER WITH 2 VALVES, EXPOSED/CONCEALED




PRODUCT DESCRIPTION



- wall mounted
- GROHE CoolTouch prevents scalding on hot surfaces
- GROHE StarLight chrome finish
- GROHE TurboStat compact cartridge with wax thermoelement
- GROHE ProGrip with knurl structure
- GROHE SafeStop safety button at 38°C (calibration required)
- GROHE SafeStop Plus optional temperature limiter at 43°C included
- GROHE EcoJoy technology for less water and perfect flow
- GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
- exchangeable symbols
- GROHE EasyReach shower tray
- shower bottom outlet 1/2"
- multiple outlets can be run simultaneously
- protected against backflow
- requires concealed body 26 449 000 – to be ordered separately



34 714 000 **GROHTHERM SMARTCONTROL COMBI THERMOSTATIC SHOWER MIXER
WITH 2 VALVES, EXPOSED/CONCEALED**



34 714 000 GROHTHERM SMARTCONTROL COMBI THERMOSTATIC SHOWER MIXER WITH 2 VALVES, EXPOSED/CONCEALED



SPARE PARTS, October 2018 – now

- 1: Thermostatic compact cartridge 1/2" (Spare part-nr. 47439000)
- 2: Cartridge (Spare part-nr. 48297000)
- 3: Non-return valve (Spare part-nr. 4901000M)
- 4: Non-return valve (Spare part-nr. 08565000)
- 5: cover (Spare part-nr. 48482000)
- 6: Socket Spanner (Spare part-nr. 49059000)*
- 7: GROHE TurboStat cartridge 1/2" (Spare part-nr. 47175000)*

* Optional accessories